



SYMBOL	REVISION	DRAWN	APPROV
A	CHG'D PINS 3 & 4 FOR CURRENT SENSOR ON -2	TH	TH
B	PINS 3 AND 4 WERE REVERSED	TH	8/23/00
C	CHG'D APPEARANCE OF BASE PLATE TO AGREE W/ DETAIL	TH	1/27/00
D	INTERNAL REVISIONS PER 203-100 REV D	TH	2/9/01
E	ADD SET POINT ALLOWED ON E REV UNITS PER MP203	TH	10/21/04

TERMINAL FUNCTIONS (-2);
(STANDBY CONTROLLER)

1. BUS SENSE
2. STBY ALT ON ANNUNCIATOR
3. CURRENT SENSOR ANALOG (OPTIONAL)
4. CURRENT SENSOR +10 VOLTS (OPTIONAL)
5. FIELD
6. BUS SUPPLY
7. GROUND

TERMINAL FUNCTIONS (-1);
(PRIMARY CONTROLLER)

1. BUS SENSE
2. LOW VOLTAGE WARNING LIGHT (OPTIONAL)
3. TEMPERATURE PROBE - WHITE WIRE (OPTIONAL)
4. TEMPERATURE PROBE - YELLOW WIRE (OPTIONAL)
5. FIELD
6. BUS SUPPLY
7. GROUND

NOTE:

1. ALL DIMENSIONS ARE FOR REFERENCE ONLY.

	1	203-100-02	FINAL ASS'Y, 28 VOLT STANDBY ALT. CONTROLLER		
	1	203-100-01	FINAL ASS'Y, 28 VOLT PRIMARY ALT. CONTROLLER		
	-2-				
USED ON		PART NO.	DESCRIPTION		
UNLESS OTHERWISE SPECIFIED		B & C Specialty Products		P.O. Box B, Newton, Kansas 67114	
DIMENSIONS ARE IN INCHES TOLERANCES ARE: DECIMAL 0.005 = ± 0.005 DECIMAL 0.000 = ± 0.005 ANGLES = ± 0.5 DEGREES		TITLE		ENVELOPE DRAWING CONTROLLER, 28 VOLT	
ENGINEER	TH	DATE	DRAWING NO.		REVISION
DRAWN	TH	8/12/97	BC203		E
CHECKED	TH	8/13/98	DATE		10/21/04
PROJECT			SCALE	NONE	JOB NO.
					PAGE 1 OF 1